you can

Canon

SELPHY

COMPACT PHOTO PRINTER

My world,
my way.

Just like the photolab

With over sixty years of experience in both the photographic and printing industries, Canon knows what it takes to create stunning photos. All this knowledge is packed into Canon's new range of SELPHY Compact Photo Printers. Get professional photolab-quality prints straight from any compatible camera, memory card or mobile phone.* No computers, no hassle. Easy, compact, versatile and fun. That's the SELPHY way. Make it your way.

A PHOTOLAB AT HOME...

The alluring lines and compact design of all our SELPHY Compact Photo Printers fit neatly into any home. And they're so simple to use, you'll be printing photolab-quality photos in seconds.

...AND AWAY

While SELPHY Compact Photo Printers look great in your home, they are also designed for printing on the go. An optional rechargeable battery pack makes the SELPHY ES2, SELPHY ES1 and SELPHY CP750 completely mobile – for great prints anywhere, anytime.

* For printing via Bluetooth, the optional BU-20 Bluetooth adapter is required. Printing via IrDA is only possible with SELPHY ES2, SELPHY ES1 and SELPHY CP750.

or

1 CONNECT
your camera directly to the printer

INSERT
your memory card

2 SELECT
the image you want.



3 PRINT
your photos in a variety of sizes and formats.

SIMPLICITY FIRST

SELPHY Compact Photo Printers were created with you in mind. Every feature is designed to make your life easier. No PC required. User-friendly LCD interface. Easy-to-replace paper and ink. Built-in retractable USB cable.** Quick to start. And neatly compact to fit right into your life.

To make direct printing even easier, all of the latest Canon digital cameras have a Print/Share button that illuminates when ready and automatically prints the selected image when pressed.

DIRECT PRINT PictBridge

** SELPHY CP750 and SELPHY CP740 only.

Picture the possibilities

SELPHY Compact Photo Printers offer a wide range of printing sizes and formats. And no matter which one you choose, you'll get long-lasting, professional-quality prints – with vivid colours and exceptional clarity.

STATE OF THE ART

SELPHY ES printers feature Canon's DIGIC II image processor, so it always delivers the best image possible, regardless of the camera you use. DIGIC II also speeds up response times to make viewing, scrolling and other functions quicker and more enjoyable.

PHOTOLAB QUALITY

Dye-sublimation technology – used in all SELPHY Compact Photo Printers – delivers high-quality, fade-resistant prints with a similar look and feel to the traditional silver-halide prints you get from a photolab. Every print is covered with a high-gloss, protective coating to resist moisture and fading. Dye-sublimation printers also eliminate the wait. Turn on a SELPHY and it's ready to print immediately.

SAFE FOR A CENTURY

Every SELPHY Compact Photo Printer produces exceptional lab-quality prints in just seconds. When you've got a whole batch to print, you'll be finished in a matter of minutes, not hours. And your prints are instantly dry to the touch. The durable, protective coating protects against splashes and sticky fingers – and keeps your photos bright, rich and vivid for up to 100 years.*

* See specifications for details.

SPRUCE UP YOUR PHOTOS

My Colors

Every SELPHY Compact Photo Printer lets you edit and enhance your photos before printing – no computer or software required.* No matter what digital camera you use, SELPHY makes your photos look better. To start, Image Optimization automatically adjusts qualities like brightness and contrast. My Colors provides a whole range of colour effects, like sepia, vivid and Black and White (B&W).

Red-eye Correction

When printing from a memory card, Red-Eye Correction in the printer ensures eyes appear natural. SELPHY ES printers have even more options to choose from for memory-card printing.

Creative Print

The dedicated Creative Print button makes it easy to personalise photos with speech bubbles and incorporate your favourite shots into calendars and Multi Layout prints.

MAKE IT SPECIAL

SELPHY Compact Photo Printers are fun and flexible, to add that special touch just when you need it. Choose from bordered or borderless postcard size (colour and B&W), 10x20cm wide size, credit-card size, stickers and mini-stickers. You can even rotate the image 90 degrees and zoom in on details, as well as create ID Photo Prints and Movie Prints.**

* Options may vary per model and per method of connection. See specifications for details.

** Options available depend on the camera, printer, printer tray, printing mode and method of connection. See specifications for details.

Premium prints – how you like, where you like

Experience the freedom of choice with the SELPHY ES2. Print effortlessly from most any source: computer, camera, even your mobile phone. A 3.0" tilting LCD screen makes it simple to choose your layout, correct red eye and apply creative effects. With an optional battery pack, you can share the fun – at home or on the go.

STRESS-FREE WITH EASY PHOTO PACK

Canon's Easy Photo Packs combine the right amount of ink with the right amount of paper in a single, integrated cassette. When the paper runs out, so does the ink. Just slip in a new pack. No fiddling, no stress. Changing paper sizes at any time is also an easy, one-touch operation – simply remove one cartridge and insert another. Or try inserting the special Black and White (B&W) Easy Photo Pack. The enclosed cartridge also means that dust has little chance to get into the printer and onto your prints.

FOLLOW THE LEADER

SELPHY ES2 sits at the head of the Canon SELPHY range. Its 3.0" tilting LCD display is the largest on offer and operation is the simplest and most intuitive thanks to the Easy Scroll Wheel. A DIGIC II image processor ensures high-speed, high-quality printing. At home, the stylish vertical design requires minimum space on your desktop. On the go, the built-in handle provides for convenient carrying. Features and functions have been expanded and improved to make SELPHY ES2 the leader of its pack.

SELPHY ES2
COMPACT PHOTO PRINTER

View, crop and enhance your photos on the 2.5" tilting LCD screen.

CREATIVITY IN ACTION

It's more than a printer. Think of it as your printing buddy! With image adjustment functions and a Creative Print button, the SELPHY ES2 works with you to bring your photos to life. Edit your photos, add filter effects and choose from a variety of layouts and fun designs. Try everything from picture frames, clip art pictures, speech bubbles to calendars and Multi Layout prints. It's all built right in for instant, fun printing at the touch of a button.

Easy Scroll wheel

Image Effects

- Unique integrated Ink and Media cassette, the "Easy Photo Pack"
- Compact, vertical design with carry handle, 3.0" tilting colour LCD and Easy-Scroll Wheel
- Superior quality prints with DIGIC II
- Image Optimize function automatically detects and optimises faces
- Print from mobile phones*
- Optional battery pack for printing away from home
- Creative Print button to add frames, clip art, fun layouts and more
- Apply Image and My Colors photo effects, automatic Red-Eye Correction, or trim images
- 100-year** print with instantly dry, durable coating
- Quick start-up

* With IrDA or optional Bluetooth adaptor
** See specifications for details

SELPHY ES20
COMPACT PHOTO PRINTER

Carry handle

Calendar

Beautiful prints made beautifully simple

The vertical design of the SELPHY ES20 is the perfect fit for any interior and simply a joy to use. Just slide in an Easy Photo Pack and begin exploring a wide range of creative options for personalised, lab-quality prints that will delight family and friends.

- Unique integrated Ink and Media cassette, the “Easy Photo Pack”
- Compact, vertical design with carry handle and 2.5” colour LCD
- Superior quality prints with DIGIC II
- Image Optimize function automatically detects and optimises faces
- Print from mobile phones*
- Creative Print button to add frames, clip art, fun layouts and more
- Apply My Colors photo effects, automatic Red-Eye Correction, or trim images
- 100-year** print with instantly dry, durable coating
- Quick start-up

* With optional Bluetooth adaptor
** See specifications for details

SELPHY ES1
COMPACT PHOTO PRINTER

Easy photo pack insertion

Red-eye correction

Effortless printing Outstanding results

With one-touch operation, combined ink and media and 50-sheet capacity, the stylish ES1 makes photo printing a pleasure. Add a 2.5" LCD screen, extensive creative options and outstanding print quality for the ultimate in compact photo printing.

- Integrated ink and media in one Easy Photo Pack
- Compact, vertical design with carry handle and retractable USB cable
- Superior quality prints with DIGIC II
- 2.5" colour LCD – view, edit and print from Direct Print/PictBridge compatible cameras and most memory cards*
- Print from mobile phones with IrDA or optional Bluetooth adapter
- Optional battery pack for portable printing
- Creative Print button for fun print layouts
- Automatic Red-Eye Correction, Image Trim, and My Colors photo effects
- 100-year* prints with instantly dry, durable coating
- Economical home photo printing

* See specifications for details.

SELPHY CP750
COMPACT PHOTO PRINTER

Optional Battery pack

Trimming
2.4" colour LCD

Print anywhere with ease

SELPHY CP750 is the perfect accessory for your digital camera. Create photolab-quality prints right in your own home. Or use the optional battery pack for instant prints on the move. Advanced features make printing more flexible and enjoyable for everyone.

- Ultra-compact photo printer
- Optional battery pack for printing away from home
- Print direct from compatible cameras, mobile phones* and most memory cards**
- High-quality 100-year** prints with instantly dry, durable coating
- Large 2.4" colour LCD display for easy viewing
- Quick start-up and fast 58-second prints**
- Red-Eye Correction function in printer
- Image Trim and My Colors functionality for artistic prints
- Stylish design with retractable USB cable
- Convenient ink/paper packs in a range of sizes**

* With IrSimple (high-speed IrDA protocol) or optional Bluetooth adapter
** See specifications for details

SELPHY CP740
COMPACT PHOTO PRINTER

Retractable USB cable

2.0" colour LCD

- Affordable home photo printing
- Easy and fun for the whole family to enjoy
- Print direct from compatible cameras, mobile phones* and most memory cards**
- High-quality 100-year** prints with instantly dry, durable coating
- User-friendly 2.0" colour LCD display
- Quick start-up and fast 58-second prints**
- Red-Eye Correction function in printer
- Compact design with retractable USB cable
- Convenient ink/paper packs in a range of sizes**

Print together, enjoy together

A compact photo printer the whole family can enjoy. The SELPHY CP740 makes printing at home fun and affordable. Advanced features bring out the best in your photos. With a range of different print sizes, the results you want are always close at hand.

* With optional Bluetooth adapter
** See specifications for details

Unleash your photos

Set yourself free. With various wireless printing options, SELPHY Compact Photo Printers give you the power to choose and the freedom to print at any moment.

BLUETOOTH

Get those spontaneous snapshots off your phone and into your hand. Send photos straight to your SELPHY Compact Photo Printer for quick printing from any compatible Bluetooth-enabled mobile phone or PDA. The optional BU-20 Bluetooth adapter is required.

INFRARED

Printing from a mobile phone or PDA is also quick and simple using the built-in IrDA feature available on SELPHY ES2, SELPHY ES1 and SELPHY CP750.

Choose your format

SELPHY Compact Photo Printers support a wide range of paper sizes. All replacement paper comes packaged together with just the right amount of ink for your prints, so you always replace both in one convenient step.

EASY PHOTO PACK

For use with SELPHY ES1, SELPHY ES2 and SELPHY ES20.

E-P50/E-P100 Ink Paper Set
Postcard Size
(50 or 100 sheets)

E-L50/E-L100 Ink Paper Set
L Size (50 or 100 sheets)

E-P25BW Ink Paper Set
B/W Postcard Size
(25 sheets)

E-C25 Ink Paper Set
Credit Card Size
(25 sheets)

E-C25L Ink Paper Set
Credit Card Size Stickers
(25 sheets)

INK AND PAPER SETS

For use with SELPHY CP750 and SELPHY CP740.

KP-36IP/72IP/108IP
Paper Set
Postcard Size
(36, 72 or 108 sheets)

KL-36IP Ink Paper Set
L Size (36 sheets)

KC-36IP Ink Paper Set
Credit Card Size
(36 sheets)

KC-18IF Ink Paper Set
Credit Card Size Stickers (18 sheets)

KC-18IL Ink Paper Set
Mini Stickers (18 sheets)

KW-24IP Ink Paper Set
Wide Size (24 sheets)

Explore your options

Canon provides a range of optional SELPHY accessories to expand your printing possibilities.

PCC-CP100
Paper cassette for credit card size paper (SELPHY CP750/CP740 only)

PCW-CP100
Paper cassette for wide size paper (SELPHY CP750/CP740 only)

PCL-CP100
Paper cassette for L-size paper (SELPHY CP750/CP740 only)

DCC-CP1
Printer Carrying Case (SELPHY CP750/ CP740 only)

BU-20
Bluetooth adapter

NB-ES1L
Battery Pack (SELPHY ES2/ SELPHY ES1 only)

NB-CP2L
Battery Pack (SELPHY CP750 only)

Share your memories

Though specially designed for direct printing, SELPHY Compact Photo Printers can also be used to print through your PC or Mac. You can also upload your photos for online sharing.

ORGANISE & EDIT

All SELPHY Compact Photo Printers come with ZoomBrowser EX image management software. Organize your images on your computer and share them with friends and family using CANON iMAGE GATEWAY. ZoomBrowser EX also brings you superb image-correction tools for beautiful prints every time. Especially for SELPHY ES2 and ES20, Photo Express LE software lets you add fun frames and text to your photos before printing.

ONLINE SHARING

Open up a world of online digital photography with CANON iMAGE GATEWAY.* Register your new Canon digital product today and start enjoying 100MB of online space allowing you to share your photos with friends and family. Create themed photo albums with customised layouts and backgrounds. Order photo prints directly from your online photo album. Get hints, tips and ideas, plus customise your camera with great start-up images and sounds. With CANON iMAGE GATEWAY, you can.

CANON iMAGE GATEWAY

www.cig.canon-europe.com

* Not available in all regions.

SELPHY ES2
COMPACT PHOTO PRINTER

Specifications

PRINTING SYSTEM	Method	Dye-sublimation thermal transfer printing system, with DIGIC II processor
	Maximum Resolution	300 x 600 dpi
	Colours	3 colour inks with over coating, BW (Black ink with overcoating) up to 256 levels per colour (24 bit colour depth)
MEDIA & CARTRIDGE	Postcard Size	148 x 100mm - [Easy Photo Pack E-P50, Easy Photo Pack E-P100, Easy Photo Pack E-P25BW]
	Wide Size	—
	L Size	119 x 89mm - [Easy Photo Pack E-L50, Easy Photo Pack E-L100]
	Credit Card Size	86 x 54mm - [Easy Photo Pack E-C25]
	Credit Card Size Stickers	86 x 54mm - [Easy Photo Pack E-C25L]
	Mini Stickers	—
	Ink Cartridge	Included with media (Ink/Paper Integrated Cartridge)
	Image Longevity	100 Years Print[2]
MEDIA INPUT	Sheet Feeder	Auto feed from integrated cartridge
PRINT SPEEDS	Postcard Size	Approx. 69 sec[3]
	Wide Size	—
	L Size	Approx. 61 sec[3]
	Credit Card Size	Approx. 53 sec[3]
	Credit Card Size Stickers	Approx. 53 sec[3]
	Mini Stickers	—
PRINTING	Print Modes	All Image Print, Creative Print (Frame, Clip Art, Calendar, Multi Layout, Speech Bubble, ID Photo, Movie Print, Image Effects), DPOF Image Print, Single Image Print, Trimming Print, 2-up, 4-up, 8-up and Index Layout, Fixed Size Layout[4]
	Print Settings	Image Optimize, Borderless, Bordered, Date Print, File Name Print, My Colors <10 modes>, Manual adjustment, Red-Eye Correction[4]
PRINT METHOD	Direct Printing From a Camera	Canon Direct Print compliant, PictBridge compliant
	Direct From a Memory Card	Supported card types: Compact Flash, Microdrive, SD Memory card, miniSD Card, SDHC Memory card, mini SDHC card, Multimedia Card, MMCplus Card, HC MMCplus Card, Memory Stick, Memory Stick PRO, Memory Stick Duo, Memory Stick PRO Duo, xD-Picture Card[5], microSD Card[5], microSDHC Card[5], MMCmobile Card[5], MMCmicro Card[5], RS-MMC Card[5], Memory Stick micro[5]
	Direct From a Camera Phone	Optional Bluetooth® Unit BU-20 (printing from compatible mobile camera phones & PDA's)[6], IrDA (printing from compatible mobile camera phones)[7]
	Print From a Computer	YES, requires standard USB cable
INTERFACE	Camera	USB type A port on printer, WiFi IEEE 802.11b (with Digital IXUS WIRELESS and Wireless Print Adapter WA-1E)
	Computer	USB type B port on printer
	LCD Monitor	Tilt up 3.0" Colour TFT viewer with multi-language user interface[8]
SUPPORTED OPERATING SYSTEM	PC	Windows 2000 SP4/XP SP2/Vista
	Macintosh	Mac OS X v10.3 - v10.4
SOFTWARE	Browsing & Printing	PC: ZoomBrowser EX, Photo Express LE Mac: ImageBrowser
	Drivers	PC/Mac
POWER SOURCE	AC Power Supply	YES, supplied
	Battery Pack	YES, optional (Approx. 50+ Postcard Size/L size prints per full charge)
	Power Consumption	Approx. 4W (standby), approx. 70W (printing)
ACCESSORIES	Case	—
	Paper Cassette	Not required
	Power Supply & Battery Chargers	Compact Power Adapter CA-ES100, Battery Pack NB-ES1L
	Other	BU-20 Bluetooth® Unit for printing from compatible camera phones and PDA's[6]
PHYSICAL SPECIFICATIONS	Operating Environment	5 – 40°C, 20 – 80% humidity
	Dimensions	213.4 x 189.6 x 130.9mm
	Weight	1955g (Excluding Ink/Paper Integrated Cartridge)

1 Requires optional paper cassette

2 To test the image permanence of prints that are stored in an album, we use an accelerated testing method as how the image permanence of silver-halide photo papers are measured when stored in dark places. Print samples are printed with the optical density of 1.0 (each Bk, C, M,Y). The samples are kept in a certain environment of high temperature and 50% humidity. The rate of the decrease in the optical density and rate of yellow discoloration are recorded. The recorded results are then converted to the length of time when print image is kept in an environment of 23°/50% humidity. <Criteria for estimation of print longevity> 'The point where monochromatic/ reflective optical density shows loss of 30% (starting density of 1.0).

3 Print speed can vary dependent on data size, print method, memory card and capacity and is measured from movement of paper from landscape to portrait orientation on SELPHY ES1

SELPHY ES20
COMPACT PHOTO PRINTER

SELPHY ES1
COMPACT PHOTO PRINTER

Dye-sublimation thermal transfer printing system, with DIGIC II processor 300 x 600 dpi 3 colour inks with over coating, BW (Black ink with overcoating) up to 256 levels per colour (24 bit colour depth)	Dye-sublimation thermal transfer printing system, with DIGIC II processor 300 x 600 dpi 3 colour inks with over coating, BW (Black ink with overcoating) up to 256 levels per colour (24 bit colour depth)
148 x 100mm - [Easy Photo Pack E-P50, Easy Photo Pack E-P100, Easy Photo Pack E-P25BW] — 119 x 89mm - [Easy Photo Pack E-L50, Easy Photo Pack E-L100] 86 x 54mm - [Easy Photo Pack E-C25] 86 x 54mm - [Easy Photo Pack E-C25L] — Included with media (Ink/Paper Integrated Cartridge) 100 Years Print[2]	148 x 100mm - [Easy Photo Pack E-P50, Easy Photo Pack E-P100, Easy Photo Pack E-P25BW] — 119 x 89mm - [Easy Photo Pack E-L50, Easy Photo Pack E-L100] 86 x 54mm - [Easy Photo Pack E-C25] 86 x 54mm - [Easy Photo Pack E-C25L] — Included with media (Ink/Paper Integrated Cartridge) 100 Years Print[2]
Auto feed from integrated cartridge	Auto feed from integrated cartridge
Approx. 69 sec[3] — Approx. 61 sec[3] Approx. 53 sec[3] Approx. 53 sec[3] —	Approx. 69 sec[3] — Approx. 61 sec[3] Approx. 53 sec[3] Approx. 53 sec[3] —
All Image Print, Creative Print (Frame, Clip Art, Calendar, Multi Layout, Speech Bubble, ID Photo, Movie Print), DPOF Image Print, Single Image Print, Trimming Print, 2-up, 4-up, 8-up and Index Layout, Fixed Size Layout[4] Image Optimize, Borderless, Bordered, Date Print, File Name Print, My Colors <10 modes>, Manual adjustment, Red-Eye Correction[4]	All Image Print, Creative Print (Calendar, Multi Layout, Speech Bubble, Album), DPOF Image Print, Fixed Size Layout, ID Photo print, Movie Print, Single Image Print, Trimming Print, 2-up, 4-up and 8-up Layout[4] Image Optimize, Borderless, Bordered, Date Print, File Name Print, My Colors <10 modes>, Red -Eye Correction[4]
Canon Direct Print compliant, PictBridge compliant Supported card types: Compact Flash, Microdrive, SD Memory card, miniSD Card, SDHC Memory card, mini SDHC card, Multimedia Card, MMCplus Card, HC MMCplus Card, Memory Stick, Memory Stick PRO, Memory Stick Duo, Memory Stick PRO Duo, xD-Picture Card[5], microSD Card[5], microSDHC Card[5], MMCmobile Card[5], MMCmicro Card[5], RS-MMC Card[5], Memory Stick micro[5] Optional Bluetooth® Unit BU-20 (printing from compatible mobile camera phones & PDA's)[6] YES, requires standard USB cable	Canon Direct Print compliant, PictBridge compliant Supported card types: Compact Flash card, Memory Stick, Memory Stick PRO, Memory Stick PRO Duo[5], Microdrive, miniSD card[5], mini SDHC memory card[5], Multimedia card, SD memord card, SDHC memory card, RS-MMC[5], xD-Picture card[5] Optional Bluetooth® Unit BU-20 (printing from compatible mobile camera phones & PDA's)[6], IrDA (printing from compatible mobile camera phones)[7] YES, requires standard USB cable
USB type A port on printer, WiFi IEEE 802.11b (with Digital IXUS WIRELESS and Wireless Print Adapter WA-1E) USB type B port on printer 2.5" Colour TFT viewer with multi-language user interface[8]	Integrated USB cable (Mini-B), USB type A port on printer, WiFi IEEE 802.11b (with Digital IXUS WIRELESS and Wireless Print Adapter WA-1E) USB type B port on printer 2.5" Colour LCD viewer with multi-language user interface[8]
Windows 2000 SP4/XP SP2/Vista Mac OS X v10.3 - v10.4	Windows 2000 SP4/XP (SP1-2) Mac OS X v10.2 - v10.4
PC: ZoomBrowser EX, Photo Express LE Mac: ImageBrowser PC/Mac	PC: ZoomBrowser EX, Easy-PhotoPrint Mac: ImageBrowser PC/Mac
YES, supplied — Approx. 4W (standby), approx. 70W (printing)	YES, supplied YES, optional (Approx. 50+ Postcard Size/L size prints per full charge) Approx. 4W (standby), approx. 70W (printing)
— Not required Compact Power Adapter CA-ES100 BU-20 Bluetooth® Unit for printing from compatible camera phones and PDA's[6]	— Not required Battery Pack NB-ES1L BU-20 Bluetooth® Unit for printing from compatible camera phones and PDA's[6]
5 – 40ºC, 20 – 80% humidity 213.4 x 189.6 x 130.9mm 1865g (Excluding Ink/Paper Integrated Cartridge)	5 – 40ºC, 20 – 80% humidity 199.0 x 176.7 x 113.3mm 2055g (Excluding Ink/Paper Integrated Cartridge)

4 Modes/features available may differ dependent on camera model or use of memory card to print
5 Requires adapter (sold separately)
6 Mobile phones and PDA's must be Bluetooth enabled and support Bluetooth version 1.1 or above Photo printing only - pictures must be in the JPEG format. Bluetooth operation depends on the device and software version used
7 Pictures must be taken in the JPEG format and transferred using the IrOBEX or IrMc by vNOTE protocol
8 Supported languages are: English, German, French, Dutch, Danish, Finnish, Italian, Norwegian, Swedish, Spanish, Russian, Portuguese, Hungarian, Polish, Czech, Greek, Turkish, Simplified Chinese, Chinese, Korean, Japanese (Also supported on ES2 and ES20: Ukrainian, Romanian, Thai)

SELPHY CP750
COMPACT PHOTO PRINTER

Specifications

PRINTING SYSTEM	Method	Dye-sublimation thermal transfer printing system
	Maximum Resolution	300 x 300 dpi
	Colours	3 colour inks with over coating, 256 levels per colour (24 bit colour depth)
MEDIA & CARTRIDGE	Postcard Size	148 x 100mm - [KP-36IP, KP-72IP, KP-108IP]
	Wide Size	100 x 200mm - [KW-24IP][1]
	L Size	119 x 89mm - [KL-36IP][1]
	Credit Card Size	86 x 54mm - [KC-36IP][1]
	Credit Card Size Stickers	86 x 54mm - [KC-18IF][1]
	Mini Stickers	22.0 x 17.3mm (x8 stickers on one sheet) - [KC-18IL][1]
	Ink Cartridge	Included with media
	Image Longevity	100 Years Print[2]
MEDIA INPUT	Sheet Feeder	Auto feed from paper cassette
PRINT SPEEDS	Postcard Size	Approx. 58 sec[3]
	Wide Size	Approx. 73 sec[3]
	L Size	Approx. 50 sec[3]
	Credit Card Size	Approx. 31 sec[3]
	Credit Card Size Stickers	Approx. 31 sec[3]
	Mini Stickers	Approx. 31 sec[3]
PRINTING	Print Modes	All Image Print, DPOF Image Print, Fixed Size Layout, ID Photo Print, Movie Print, Single Image Print, Trimming Print, 2-up, 4-up and 8-up Layout, Index print[4]
	Print Settings	Image Optimize, Borderless, Bordered, Date Print, File Name Print, My Colors <5 modes>, Red-Eye Correction[4]
PRINT METHOD	Direct Printing From a Camera	Canon Direct Print compliant, PictBridge compliant
	Direct From a Memory Card	Supported card types: Compact Flash, Memory Stick, Memory Stick PRO, Memory Stick PRO Duo, Memory Stick DUO, Microdrive, miniSD Card, mini SDHC memory card, Multimedia Card, Multimedia Card plus, Multimedia Card mobile, SD memory card, SDHC Memory card, RS-MMC, microSD memory card[5], microSDHC memory card[5], Multimedia Card micro[5], Memory stick micro[5], xD-Picture Card[5]
	Direct From a Camera Phone	Optional Bluetooth® Unit BU-20 (printing from compatible mobile camera phones & PDA's)[6], IrDA (printing from compatible mobile camera phones)[7], IrSimple (printing from compatible mobile devices)[7]
	Print From a Computer	YES, requires standard USB cable
INTERFACE	Camera	Integrated USB cable (Mini-B), USB type A port on printer, WiFi IEEE 802.11b (with Digital IXUS WIRELESS and Wireless Print Adapter WA-1E)
	Computer	USB type B port on printer
	LCD Monitor	2.4" TFT colour LCD with icon based Graphical User Interface
SUPPORTED OPERATING SYSTEM	PC	Windows 2000 SP4/XP SP2/Vista
	Macintosh	Mac OS X v10.3 - v10.4
SOFTWARE	Browsing & Printing	PC: ZoomBrowser EX, Easy-PhotoPrint, PhotoStitch Mac: ImageBrowser, PhotoStitch
	Drivers	PC/Mac
POWER SOURCE	AC Power Supply	YES, supplied
	Battery Pack	YES, optional (Approx. 36+ Postcard Size prints per full charge)
	Power Consumption	Approx. 4W (standby), approx. 60W (printing)
ACCESSORIES	Case	CP Printer Carrying Case DCC-CP1
	Paper Cassette	Postcard Size paper cassette [PCP-CP200], Wide paper cassette [PCW-CP100], L size paper cassette [PCL-CP200], Card Size [PCC-CP100]
	Power Supply & Battery Chargers	CA-CP200 Power adapter, Battery Pack NB-CP2L
	Other	BU-20 Bluetooth® Unit for printing from compatible camera phones and PDA's[6]
PHYSICAL SPECIFICATIONS	Operating Environment	5 – 40°C, 20 – 80% humidity
	Dimensions	179.0 x 127.1 x 63.0mm
	Weight	960g (Excluding Ink/Paper Integrated Cartridge)

See footnotes previous spread

All data is based on Canon's standard testing methods except where indicated. Specifications are subject to change without notice. ™ and ®:
All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

SELPHY CP740

COMPACT PHOTO PRINTER

	Dye-sublimation thermal transfer printing system 300 x 300 dpi 3 colour inks with over coating, 256 levels per colour (24 bit colour depth)
	148 x 100mm - [KP-36IP, KP-72IP, KP-108IP] 100 x 200mm - [KW-24IP][1] 119 x 89mm - [KL-36IP][1] 86 x 54mm - [KC-36IP][1] 86 x 54mm - [KC-18IF][1] 22.0 x 17.3mm (x8 stickers on one sheet) - [KC-18IL](1) Included with media 100 Years Print[2]
	Auto feed from paper cassette
	Approx. 58 sec[3] Approx. 73 sec[3] Approx. 50 sec[3] Approx. 31 sec[3] Approx. 31 sec[3] Approx. 31 sec[3]
	All Image Print, DPOF Image Print, Fixed Size Layout, ID Photo Print, Movie Print, Single Image Print, 2-up, 4-up and 8-up Layout, Index print[4] Image Optimize, Borderless, Bordered, Date Print, File Name Print, Red-Eye Correction[4]
	Canon Direct Print compliant, PictBridge compliant Supported card types: Compact Flash, Memory Stick, Memory Stick PRO, Memory Stick PRO Duo, Memory Stick DUO, Microdrive, miniSD Card, mini SDHC memory card, Multimedia Card, Multimedia Card plus, Multimedia Card mobile, SD memory card, SDHC Memory card, RS-MMC, microSD memory card[5], microSDHC memory card[5], Multimedia Card micro[5], Memory stick micro[5], xD-Picture Card[5] Optional Bluetooth® Unit BU-20 (printing from compatible mobile camera phones & PDA's)[6] YES, requires standard USB cable
	Integrated USB cable (Mini-B), USB type A port on printer, WiFi IEEE 802.11b (with Digital IXUS WIRELESS and Wireless Print Adapter WA-1E) USB type B port on printer 2.0" Colour LCD with icon based Graphical User Interface
	Windows 2000 SP4/XP SP2/Vista Mac OS X v10.3 - v10.4
	PC: ZoomBrowser EX, Easy-PhotoPrint, PhotoStitch Mac: ImageBrowser, PhotoStitch PC/Mac
	YES, supplied — Approx. 4W (standby), approx. 60W (printing)
	CP Printer Carrying Case DCC-CP1 Postcard Size paper cassette [PCP-CP200], Wide paper cassette [PCW-CP100], L size paper cassette [PCL-CP200], Card Size [PCC-CP100] CA-CP200 Power adapter BU-20 Bluetooth® Unit for printing from compatible camera phones and PDA's[6]
	5 – 40°C, 20 – 80% humidity 179.0 x 127.1 x 63.0mm 940g (Excluding Ink/Paper Integrated Cartridge)

you can

Canon

Canon UK Ltd.
Woodhatch
Reigate
Surrey
RH2 8BF
www.canon.co.uk

Canon Inc
www.canon.com

Canon Europa NV
www.canon-europe.com

0113W378

© 1986 Panda symbol WWF ® WWF Registered Trademark

© Canon Europa NV 2007